AUTHOR INDEX, VOLUME 5

Ackermann, T., and Neumann, E.: Experimental thermodynamics of the helix–random coil transition. I. Influence of polymer concentration and solvent composition in the PBG–DCA–EDC system, 649
Augustat, S.: see Szejtli, J.
Bach, D., and Miller, I. R.: Polarographic investigation of binding of Cu^{++} and Cd^{++} by DNA, 161
Baird, S. L., Jr.: see Isenberg, I.
Banerjee, R.: see Hanss, M.
Bär, H.: see Berg, H.
Basu, S.: Ultraviolet absorption studies on DNA, 876
Bendit, E. G.: Infrared absorption spectrum of keratin. I. Spectra of α-, β-, and supercontracted keratin (*erratum*), 399
——: Infrared absorption of tyrosine side chains in proteins, 525
Berg, H., Bär, H., and Gollmick, F. A.: Wechselstrompolarographische Kriterien der Nucleinsäuredenaturierung, 61
Berger, A.: see Lotan, N.
Bersohn, R.: see Isenberg, I.
Billick, I. H., Dishon, M., Weiss, G. H., and Yphantis, D.: Numerical solutions of the Lamm equation. IV. Rotor slowing experiments, 1021
Birshtein, T. M., and Ptitsyn, O. B.: Dipole–dipole interaction and the β structure of synthetic polypeptides, 785
Bixon, M.: see Lotan, N.
——, and Lifson, S.: On the two kinds of nucleation in the helix–coil transition theory of polypeptide chains, 509
Blake, A., and Peacocke, A. R.: Extrinsic cotton effects of proflavine bound to polynucleotides, 383
——, and ——: Induced optical activity of various aminoacridines bound to DNA, 871
Blears, D. J., and Danyluk, S. S.: Structure and stability of complexes formed by nucleic acids. I. Binding of acridine to DNA, 535
Block, H., and Kay, J. A.: Extent and stability of the α-helix in γ-benzyl L-glutamate–glycine copolymers, 243
Bloomfield, V., Dalton, W. O., and Van Holde, K. E.: Frictional coefficients of multisubunit structures. I. Theory, 135
——, Van Holde, K. E., and Dalton, W. O.: Frictional coefficients of multisubunit structures. II. Application to proteins and viruses, 149
Blout, E. R.: see Morita, K.
Bobik, C.: see Franzen, J. S.
Bodor, E.: see Veis, A.
Borghi, S.: see Botré, C.
Botré, C., Borghi, S., Marchetti, M., and Baumann, M.: Influence of counterions radius on the polymerization of actin, 483
Bovey, F. A., and Hood, F. P.: The circular dichroism spectrum of poly-L-acetoxyproline, 915
——, and ——: Circular dichroism spectrum of poly-L-proline, 325
Brady, G. W., and Salovey, R.: X-ray diffraction studies of the conformation of macromolecules in solution. III. The helix–coil transition, 331
Brosche, M.: see Ebert, K. H.
Butzow, J. J.: see Eichhorn, G. L.
Cantor, C. R., and Tinoco, I., Jr.: Calculated optical properties of 64 trinucleoside diphosphates, 821
Cassel, J. M.: see Christensen, R. G.
——, and Christensen, R. G.: Volume change on formation of native collagen aggregate, 431
Chakravarti, K.: see Chattoraj, D. K.
Charlwood, P. A.: Transient distributions arising from initially sharp boundaries in the ultracentrifuge, 663
Chattoraj, K. D., Chowrashi, P., and Chakravarti, K.: Electrophoresis of adsorbed DNA, 173
Chowrashi, P.: see Chattoraj, D. K.
Christensen, R. G.: see Cassel, J. M.

——, and Cassel, J. M.: Volume changes accompanying collagen denaturation, 685
Ciferri, A.: see Orofino, T. A.
——, Garmon, R., and Puett, D.: Interaction between proteins and salt solutions. IV. Enrichment of salts in collagen during denaturation, 439
Clark, P.: see Eichhorn, G. L.
Cohen, R., Giraud, B., and Messiah, A.: Theory and practice of the analytical centrifugation of an active substrate–enzyme complex, 203
Dalton, W. O.; see Bloomfield, V.
Danyluk, S. S.: see Blears, D. J.
Daszkiewicz, O. K.: see Lubas, B.
Davidson, N.: see Gruenwedel, D. W.
Davison, P. F.: Viscosity and temperature effects on the rate of DNA strand separation in alkali, 715
DeSantis, P.: see Liquori, A. M.
Dishon, M.: see Billick, I. H.
——, Weiss, G. H., and Yphantis, D. A.: Numerical solutions of the Lamm equation. III. Velocity centrifugation, 697
Doty, P.: see Sarker, P. K.
Ebert, K. H., and Brosche, M.: Origin of branches in native dextrans, 423
Eichhorn, G. L.: Note on the paper of H. Venner and Ch. Zimmer, 235
——, Butzow, J. J., Clark, P., and Tarien, E.: Interaction of metal ions with polynucleotides and related compounds. X. Studies on the reaction of silver(I) with the nucleosides and polynucleotides, and the effect of silver(I) on the zinc(II) degradation of polynucleotides, 283
——, and Tarien, E.: Interaction of metal ions with polynucleotides and related compounds. IX. Unwinding and rewinding of poly(A + U) and poly(I + C) by copper(II) Ions, 273
Eisenberg, H.: Molecular weights from equilibrium sedimentation in a density gradient, 681
Eliezer, N., and Silberberg, A.: Structure of branched poly-α-amino acids in dimethylformamide. I. Light scattering, 95
——, and ——: Structure of branched poly-α-amino acids in dimethylformamide. II. Viscosity, sedimentation, and diffusion, 105
Felsenfeld, G.: see Hirschman, S. Z.
Ferry, J. D.: see Meyer, H. H.
Franzen, J. S., Harry, J. B., and Bobik, C.: Stability of helical polyamino acids in solution at high temperatures, 193
Fraser, R. D. B., Harrap, B. S., Ledger, R., MacRae, T. P., Stewart, F. H. C., and Suzuki, E.: Stability of the α-helix in poly-γ-benzyl L-glutamate) and related polymers, 797
——, ——, Macrae, T. P., Stewart, F. H. C., and Suzuki, E.: Effect of glycyl residues on the stability of the α-helix, 251
French, A. D.: see Zobel, H. F.
——, and Zobel, H. F.: X-ray diffraction of oriented amylose fibers. I. Amylose dimethyl sulfoxide complex, 457
Frey, M., and Weill, G.: Polarisation de fluorescence des polypeptides portant un groupe terminal fluorescent, 185
Fritzsche, H.: Infrared studies of deoxyribonucleic acids, their constituents and analogues. II. Deoxyribonucleic acids with different base composition, 863
Gabbay, E. J.: Topography of nucleic acid helices in solutions. II. Structure of the double-stranded rA–rU, rI–rC, acid rA, and the triple-stranded rA–rU$_2$ and rA–rI$_2$ helices, 727
Gardner, B. J., and Mason, S. F.: Structure and optical activity of the DNA–aminoacridine complex, 79
Garmon, R.: see Ciferri, A.
Garnier, J.: Extension of the continuous variation method to protein interactions: α_{s1}- and β-caseins associations with κ-casein, 473 (*erratum*), 1033
Gibbs, J. H.: see Grourke, M. J.
Gill, T. J., III, McLaughlin, E. M., and Omenn, G. S.: Studies of polypeptide structure by fluorescence techniques. III. Interaction between dye and macromolecule in fluorescent conjugates, 297
Giraud, B.: see Cohen, R.
Glaubiger, D., and Hearst, J. E.: Effect of superhelical structure on the secondary structure of DNA rings, 691

Gollmick, F. A.: see Berg, H.
Goodman, M.: see Mark, J. E.
Gray, H. B., Jr.: Sedimentation coefficient of polyoma virus DNA, 1009
Grourke, M. J., and Gibbs, J. H.: Transition from random coil to α-helix induced by sodium dodecyl sulfate, 586
Gruenwedel, D. W., and Davidson, N.: Complexing and denaturation of DNA by methylmercuric hydroxide. II. Ultracentrifugation studies, 847
Gubenšek, F., and Lapanje, S.: Activity coefficients of counterions in solutions of diethylaminoethyl dextran hydrochloride, 351
Hanss, M., and Banerjee, R.: Dielectric properties and oxygenation of hemoglobin, 879
Happey, F., Hyde, A. J., and Monogue, B.: Electron microscope examination of fibroin precipitated from silk fibroin solutions, 749
——, and Watson, B. M.: DTA of polyglycine, 1029
Harrap, B. S.: see Fraser, R. D. B.
Harry, J. B.: see Franzen, J. R.
Hearst, J. E.: see Glaubiger, D.
Hermans, J. J.: see Orofino, T. A.
Hinkle, M. E.: see Zobel, H. F.
Hirschman, S. Z., Leng, M., and Felsenfeld, G.: Interaction of spermine and DNA, 227
Hood, F. P.: see Bovey, F. A.
Hyde, A. J.: see Happey, F.
Ikeda, S.: Molecular conformation of poly-*S*-carboxymethyl-L-cysteine in aqueous solutions, 359
Imahori, K., and Inouye, H.: Conformations of copoly(γ-benzyl L-glutamate-*O*-benzyl-L-serine), 639
Inoue, S.: see Tsuruta, T.
Inouye, H.: see Imahori, K.
Isemura, T.: see Takagi, T.
Isenberg, I., Baird, S. L., Jr., and Bersohn, R.: Interaction of polynucleotides with aromatic hydrocarbons, 477
Itoh, K., and Shimanouchi, T.: Far-infrared spectra of *N*-methylacetamide and related compounds and hydrogen-bond force constants, 921
Ivanov, V. I.: see Minchenkova, L. E.
Jaskunas, S. R.: see McMullen, D. W.
Jeffrey, P. D.: Equilibrium sedimentation of the interacting protein C-phycocyanin in a density gradient, 791
Jennings, B. R.: see Riddiford, C. L.
Karasz, F. E., and O'Reilly, J. M.: Enthalpy changes in the helix–coil transition of poly(γ-benzyl L-glutamate), 27
Kay, C. M.: see McCubbin, W. D.
Kay, J. A.: see Block, H.
Lapanje, S.: see Gubenšek, F.
Ledger, R.: see Fraser, R. D. B.
Leng, M.: see Hirschman, S. Z.
Lifson, S.: see Bixon, M.
Lignowski, J. S.: see Liu, K.-J.
Liquori, A. M., and DeSantis, P.: Conformational analysis of poly-*N*-methyl-L-alanine, 815
Liu, K.-J., Lignowski, J. S., and Ullman R.: NMR and optical activity observations on the helix–coil transition in poly(γ-benzyl L-glutamate) solutions, 375
Lotan, N., Bixon, M., and Berger, A.: α-Helix formation by solvent–solvent interaction, 69
Lubas, B., Wilczok, T., and Daszkiewicz, O. K.: Thermal transition of DNA measured by NMR spin-echo technique, 967
Luzzati, V., Masson, F., Mathis, A., et Soludjian, P.: Étude, par diffusion centrale des rayons-x, des polyelectrolytes rigides en solution. Cas des sels de Li, Na et Cs du DNA, 491
MacRae, T. P.: see Fraser, R. D. B.
McCubbin, W. D., Kay, C. M., and Oikawa, K.: Polarimetric study of the interaction of myosin and heavy meromyosin with nucleotides, 236
McLaughlin, E. M.: see Gill, T. J., III
McMullen, D. W., Jaskunas, S. R., and Tinoco, I., Jr.: Application of matrix rank analysis to the optical rotatory dispersion of TMV RNA, 589
Manogue, B.: see Happey, F.
Marchetti, M.: see Botré, C.
Mark, J. E., and Goodman, M.: Conformational aspects of polypeptides. XXIV. Conformational energies of poly-*N*-methyl-L-alanine chains, 809
Mason, S. F.: see Gardner, B. J.
Masson, F.: see Luzzati, V.
Mathis, A.: see Luzzati, V.
Matsuura, K.: see Tsuruta, T.

Messiah, A.: see Cohen, R.
Meyer, H. H., Pfeiffer, W. F., and Ferry, J. D.: Dynamic viscoelastic properties of solutions of shear-degraded deoxyribonucleic acid, 123
Miller, I. R.: see Bach, D.
Minchenkova, L. E., and Ivanov, V. I.: Influence of reductants upon optical characteristics of the DNA–Cu^{2+} complex, 615
Miyazawa, T.: see Sugeta, H.
Morita, K., Simons, E. R., and Blout, E. R.: Polypeptides. LIII. Water-soluble copolypeptides of L-glutamic acid, L-lysine, and L-alanine, 259
Mussell, S.: see Veis, A.
Nakanishi, Y.: see Takagi, T.
Neumann, E.: see Ackermann, T.
Oikawa, K.: see McCubbin, W. D.
Okabe, N.: see Takagi, T.
Omenn, G. S.: see Gill, T. J., III
O'Reilly, J. M.: see Karasz, F. E.
Oriel, P. J., and Schellman, J. A.: Studies of the birefringence and birefringence dispersion of polypeptides and proteins (*erratum*), 399
Orofino, T. A., Ciferri, A., and Hermans, J. J.; Effect of binding on melting transitions in polymer diluent systems, 773
Patel, R. P.: see Price, S.
——, Lopiekes, D. V., Brown, S. P., and Price, S.: Derivatives of proteins. II. Coupling of α-chymotrypsin to carboxyl-containing polymers by use of *N*-ethyl-5-phenylisoxazolium-3′-sulfonate, 577
——, and Price, S.: Derivatives of Proteins. I. Polymerization of α-chymotrypsin by use of *N*-ethyl-5-phenylisoxazolium-3′-sulfonate, 583
Peacocke, A. R.: see Blake, A.
Pfeiffer, W. F.: see Meyer, H. H.
Poland, D.: see Vournakis, J. N.
Ptitsyn, O. B.: see Birshtein, T. M.
Puett, D.: see Ciferri, A.
——: DTA and heats of hydration of some polypeptides, 327
Record, M. T., Jr.: Electrostatic effects on polynucleotide transitions. I. Behavior at neutral pH, 975
——: Electrostatic effects on polynucleotide transitions. II. Behavior of titrated systems, 993
Richards, E. G.: see Simpkins, H.
Richter, M.: see Szejtli, J.
Riddiford, C. L., and Jennings, B. R.: Kerr effect study of the aqueous solutions of three globular proteins, 757
Ruckel, E. R., and Schuerch, C.: Chemical synthesis of a dextran model, Poly-α-(1 → 6)-anhydro-D-glucopyranose, 515
Salovey, R.: see Brady, G. W.
Saludjian, P.: see Luzzati, V.
——: see Schechter, E.
——, and Shechter, E.: Conformation of horse heart ferricytochrome c. III. Comparative optical rotatory dispersion study of the protein with its derivative heme undecapeptide, 561
Sarkar, P. K., Yang, J. T., and Doty, P.: Optical rotatory dispersion of *E. Coli* ribosomes and their constituents, 1
Sasabe, H.: see Wada, Y.
Schechter, E., and Saludjian, P.: Conformation of ferricytochrome c. IV. Relationship between optical absorption and protein conformation, 788
Schellman, J. A.: see Oriel, P. J.
Scheludko, A., and Stoylov, S.: Variation in the intensity of scattered light by solutions of DNA subjected to an electric field, 723
Scheraga, H. A.: see Vournakis, J. N.
Schuerch, C.: see Ruckel, E. R.
Schwartz, G.: A basic approach to a general theory for cooperative intramolecular conformation changes of linear biopolymers, 321
Schwartz, H.: see Wang, J. C.
Scott, R. A., III: Statistical mechanical studies of polypeptides. I. Theory of the helix–coil transition including right- and left-handed helical states, 931
Shechter, E.: see Saludjian, P.
Shimanouchi, T.: see Itoh, K.
Silberberg, A.: see Eliezer, N.
Simons, E. R.: see Morita, K.
Simpkins, H., and Richards, E. G.: Spectrophotometric titration studies on poly(uridylic acid), 551
Spach, G.: see Vollmer, J.-P.
Stewart, F. H. C.: see Fraser, R. D. B.
Stoylov, S.: see Scheludko, A.
Sugeta, H., and Miyazawa, T.: General method for calculating helical parameters of polymer chains from bond lengths, bond angles, and internal-rotation angles, 673
Suzuki, E: see Fraser, R. D. B.

Szejtli, J., Augustat, S., and Richter, M.: Molecular configuration of amylose and its complexes in aqueous solutions. Part III. Investigation of the DP distribution of helical segments in amylose–iodine complexes, 17

——, Richter, M., and Augustat, S.: Molecular configuration of amylose and its complexes in aqueous solutions. Part II. Relation between the DP of helical segments of the amylose–iodine complex and the equilibrium concentration of free iodine, 5

Takagi, T., Nakanishi, Y., Okabe, N., and Isemura, T.: Hydrophobic fluorescent group coupled to Taka-amylase A. Change of its environment accompanying splitting of disulfide bonds, 627

Takashima, S.: Effect of ions on the dielectric relaxations of DNA, 899

Takesada, H., Yamazaki, H., and Wada, A.: Nature of Cu(II)–poly(glutamic acid) complex in aqueous solution (*erratum*), 399

Tarien, E.: see Eichhorn, G. L.

Tinoco, I., Jr.: see Cantor, C. R.

——: see McMullen, D. W.

Tomono, M.: see Wada, Y.

Tsuruta, T., Inoue, S., and Matsuura, K.: Asymmetric selection in the copolymerization of *N*-carboxy-L- and D-alanine anhydride, 313

Ullman, R.: see Liu, K.-J.

Van Holde, K. E.: see Bloomfield, V.

Veis, A., Bodor, E., and Mussell, S.: Molecular weight fractionation and the self-suppression of complex coacervation, 37

Volkenstein, M. V., and Zubkov, V. A.: Rotatory dispersion of the β-form of polypeptides, 465

Vollmer, J.-P., et Spach, G.: Synthèse et structure de la poly-*O*-carbobenzoxy L-tyrosine et de copolymères de *O*-carbobenzoxy L-tyrosine et de glutamate de benzyle ou d'aspartate de benzyle, 337

Vournakis, J. N., Poland, D., and Scheraga, H. A.: Anti-cooperative interactions in single-strand oligomers of deoxyriboadenylic acid, 403

Wada, A.: see Takesada, H.

Wada, Y., Sasabe, H., and Tomono, M.: Viscoelastic relaxations in solutions of poly(glutamic acid) and gelatin at ultrasonic frequencies, 887

Wang, J. C., and Schwartz, H.: Noncomplementarity in base sequences between the cohesive ends of coliphages 186 and λ and the formation of interlocked rings between the two DNA's, 953

Watson, B. M.: see Happey, F.

Weill, G.: see Frey, M.

Weiss, G. H.: see Billick, I. H.

——: see Dishon, M.

Wilczok, T.: see Lubas, B.

Yamazaki, H.: see Takesada, H.

Yang, J. T.: see Sarkar, P. K.

Yphantis, D.: see Billick, I. H.

——: see Dishon, M.

Zobel, H. F.: see French, A. D.

——, French, A. D., and Hinkle, M. E.; X-ray diffraction of oriented amylose fibers. II. Structure of V amyloses, 837

Zubkov, V. A.: see Volkenstein, M. V.

SUBJECT INDEX, VOLUME 5

Absorption, infrared, of tyrosine side chains in proteins, 525
Acids, helical polyamino, stability of, in solution at high temperatures, 193
nucleic, complexes formed by, stability and structure of, 535
Acridine, binding of, to DNA, 535
Actin, polymerization of, influence of counterions radius on, 483
Active substrate–enzyme complex, analytical centrifugation of, 203
Activity coefficients of counterions in solutions of diethylaminoethyl dextran hydrochloride, 351
Adsorbed DNA, electrophoresis of, 173
L-Alanine, L-glutamic acid, and L-lysine, water-soluble copolypeptides of, 259
D-Alanine and *N*-carboxyl-L-anhydride, copolymerization of, asymmetric selection in, 313
Alkali, viscosity and temperature effects on rate of DNA strand separation in, 715
Aminoacridines bound to DNA, induced optical activity of, 871
V Amylose, structure of, 837
Amylose and its complexes, molecular configuration of, in aqueous solutions, 5, 17
Amylose dimethyl sulfoxide complex, 457
Amylose fibers, oriented, x-ray diffraction of, 457, 837
Amylose–iodine complexes, DP distribution of helical segments in, 17
helical segments of, DP of, and equilibrium concentration of free iodine, relation between, 5
Analytical centrifugation of an active substrate–enzyme complex, 203
Anti-cooperative interactions in single-strand oligomers of deoxyriboadenylic acid, 403
Aqueous solutions, molecular configuration of amylose and its complexes in, 5, 17
poly-*S*-carboxymethyl-L-cysteine in, molecular conformation of, 359
of three globular proteins, Kerr effect study of, 757
Aromatic hydrocarbons, interaction of polynucleotides with, 477
d'Aspartate de benzyle ou glutamate de benzyle, *O*-carbobenzoxyl L-tyrosine, copolymères de, poly-*O*-carbobenzoxyl L-tyrosine, synthèse et structure, 337
Asymmetric selection in the copolymerization of *N*-carboxyl-L- and D-alanine anhydride, 313
Base sequences, noncomplementarity in, between cohesive ends of coliphage 186 and λ and formation of interlocked rings between the two DNA's, 953
γ-Benzyl L-glutamate–glycine copolymers, α-helix in, stability and extent of, 243
Binding, of acridine to DNA, 535
of Cu^{++} and Cd^{++} by DNA, polarographic investigation of, 161
effect of, on melting transitions in polymer–diluent systems, 773
Bond lengths, bond angles, and internal-rotation angles, helical parameters of polymer chains from, 673
Branched poly-α-amino acids, structure of, in dimethylformamide, 95, 105
Branches, origin of, in native dextrans, 423
O-Carbobenzoxyl L-tyrosine et de glutamate de benzyl ou d'aspartate de benzyle, copolymères de, poly-*O*-carbobenzoxyl L-tyrosine, synthèse et structure, 337
N-Carboxyl-L- and D-alanine anhydride, copolymerization of, asymmetric selection in, 313
Carboxyl-containing polymers, coupling of α-chymotrypsin to, by use of *N*-ethyl-5-phenylisoxazolium-3′-sulfonate, 577
Caseins associations, α_{s1}- and β-, with κ-casein, 473
Cd^{++} and Cu^{++}, binding of, by DNA, polarographic investigation of, 161
Centrifugation, analytical, of an active substrate–enzyme complex, 203

α-Chymotrypsin, coupling of, to carboxyl-containing polymers by use of *N*-ethyl-5-phenylisoxazolium-3′-sulfonate, 577
polymerization of, by use of *N*-ethyl-5-phenylisoxazolium-3′-sulfonate, 583
Circular dichroism spectrum, of poly-L-acetoxyproline, 915
of poly-L-proline, 325
Coacervation, complex, molecular weight fractionation and self-suppression of, 37
Coliphage 186 and λ and formation of interlocked rings between the two DNA's, noncomplementarity in base sequences between cohesive ends of, 953
Collagen, enrichment of salts in, during denaturation, 439
Collagen aggregate, native, formation of, volume change on, 431
Collagen denaturation, volume changes accompanying, 685
Complex coacervation, molecular weight fractionation and self-suppression of, 37
Complexes formed by nucleic acids, stability and structure of, 535
Complexing and denaturation of DNA by methylmercuric hydroxide, 847
Conformation changes, cooperative intramolecular, of linear biopolymers, general theory for, 321
Conformation of horse heart ferricytochrome c, 561
Continuous variation method, extension of, to protein interactions, 473
Cooperative intramolecular conformation changes of linear biopolymers, general theory for, 321
Copoly(γ-benzyl L-glutamate-*O*-benzyl-L-serine), conformations of, 639
Copolypeptides, water-soluble, of L-glutamic acid, L-lysine, and L-alanine, 259
Copper(II) ions, unwinding and rewinding of poly(A + U) and poly(I + C) by, 273
Cotton effects, extrinsic, of proflavine bound to polynucleotides, 383
Counterions, activity coefficients of, in solutions of diethylaminoethyl dextran hydrochloride, 351
Counterions radius, influence of, on polymerization of actin, 483
Coupling of α-chymotrypsin to carboxyl-containing polymers by use of *N*-ethyl-5-phenylisoxazolium-3′-sulfonate, 577
C-phycocyanin, interaction protein of, in a density gradient, sedimentation of, 791
Cs, Na, et Li du DNA, cas des sels de, 491
Cu^{++} and Cd^{++}, binding of, by DNA, polarographic investigation of, 161
Degradation, zinc(II), of polynucleotides, effect of silver(I) on, 283
Denaturation, of collagen, volume changes accompanying 685
and complexing of DNA by methylmercuric hydroxide, 847
enrichment of salts in collagen during, 439
Density gradient, equilibrium sedimentation of interacting protein C-phycocyanin in, 791
molecular weights from equilibrium sedimentation in, 681
Deoxyriboadenylic acid, single-strand oligomers of, anti-cooperative interactions in, 403
Dextran hydrochloride, diethylaminoethyl, solutions of, counterions in, activity coefficients of, 351
Dextran model, poly-α-(1 → 6)-anhydro-D-glucopyranose, 515
Dextrans, native, origin of branches in, 423
Dichroism spectrum, circular, of poly-L-acetoxyproline, 915
circular, of poly-L-proline, 325
Dielectric properties and oxygenation of hemoglobin, 879
Dielectric relaxations of DNA, effect of ions on, 899
Diethylaminoethyl dextran hydrochloride, solutions of, counterions in, activity coefficients of, 351
Diffraction studies, x-ray, of the conformation of macromolecules in solution, 331
x-ray, of oriented amylose fibers, 457, 837
Diffusion, sedimentation, and viscosity, 105
Diffusion centrale des rayons X, 491
Diluent–polymer systems, effect of binding on melting transitions in, 773

Dimethylformamide, structure of branched poly-α-amino acids in, 95, 105
Dimethyl sulfoxide complex, amylose, 457
Dipole–dipole interaction and the β structure of synthetic polypeptides, 785
Dispersion, optical rotatory, of *E. coli* ribosomes and their constituents, 1
Disulfide bonds, splitting of, 627
DNA, adsorbed, electrophoresis of, 173
aminoacridines bound to, induced optical activity of, 871
binding of acridine to, 535
binding of Cu^{++} and Cd^{++} by, polarographic investigation of, 161
complexing and denaturation of, by methylmercuric hydroxide, 847
their constituents and analogues, infrared studies of, 863
with different base compositions, 863
effect of ions on the dielectric relaxations of, 899
Li, Na et Cs, cas des sels de, 491
rings, of, effect of superhelical structure on secondary structure of, 691
shear-degraded, solutions of, dynamic viscoelastic properties of, 123
solutions of, subjected to an electric field, variation in intensity of scattered light by, 723
and spermine, intraction of, 227
strand separation in alkali, temperature and viscosity effects on rate of, 715
thermal transition of, measured by NMR spin-echo technique, 967
ultraviolet absorption studies on, 876
DNA–aminoacridine complex, structure and optical activity of, 79
DNA–Cu^{2+} complex, influence of reductants upon optical characteristics of, 615
Double-stranded rA–rU, rI–rC, acid rA, and triple-stranded rA–rU_2 and rA–rI_2 helices, 727
DP distribution of helical segments in amylose–iodine complexes, 17
DP of helical segments of amylose–iodine complex and equilibrium concentration of free iodine, relation between, 5
DTA, and heats of hydration of polypeptides, 327
of polyglycine, 1029
Dye and macromolecule in fluorescent conjugates, interaction between, 297
Dynamic viscoelastic properties of solutions of shear-degraded deoxyribonucleic acid, 123
E. coli ribosomes and their constituents, optical rotatory dispersion of, 1
Electric field, variation in intensity of scattered light by solutions of DNA subjected to, 723
Electron microscope examination of fibroin precipitated from silk fibroin solutions, 749
Electrophoresis of adsorbed DNA, 173
Electrostatic effects of polynucleotide transitions, 975, 993
Enthalpy changes in helix–coil transition of poly(γ-benzyl L-glutamate), 27
Equilibrium concentration of free iodine and DP of helical segments of amylose–iodine complex, relation between, 5
Equilibrium sedimentation, in a density gradient, molecular weights from, 681
of interacting protein C-phycocyanin in a density gradient, 791
N-Ethyl-5-phenylisoxazolium-3′-sulfonate, coupling of α-chymotrypsin to carboxyl-containing polymers by, 577
polymerization of α-chymotrypsin by, 583
Far-infrared spectra of *N*-methylacetamide and related compounds and hydrogen-bond force constants, 921
Ferricytochrome c, conformation of, 788
horse heart, conformation of, 561
Fibers, oriented amylose, x-ray diffraction of, 457, 837
Fibroin precipitated from silk fibroin solutions, electron microscope examination of, 749
Fluorescence techniques, polypeptide structure by, 297
Fluorescent conjugates, macromolecule and dye in, interaction between, 297
Fluorescent group, hydrophobic, coupled to Taka-amylase A, 627
Force constants, hydrogen-bond, 921
β-Form of polypeptides, rotatory dispersion of, 465
Fractionation, molecular weight, and self-suppression of complex coacervation, 37

Free iodine, equilibrium concentration of, and DP of helical segments of amylose–iodine complex, relation between, 5
Frictional coefficients of multisubunit structures, 135, 149
Gelation at ultrasonic frequencies, 887
Globular proteins, Kerr effect study of aqueous solutions of, 757
Glutamate de benzyle ou d'aspartate de benzyle, *O*-carbobenzoxyl L-tyrosine, copolymères de, poly-*O*-carbobenzoxyl L-tyrosine, synthèse et structure, 337
L-Glutamic acid, L-lysine, and L-alanine, water-soluble copolypeptides of, 259
Glycol residues, effect of, on stability of α-helix, 251
Groupe terminal fluorescent, polypeptides portant, polarisation de fluorescence, 185
Heats and DTA of hydration of polypeptides, 327
Heavy meromyosin and myosin, interaction of, with nucleotides, polarimetric study of, 236
Helical parameters of polymer chains from bond length, bond angles, and internal-rotation angles, 673
Helical polyamino acids, stability of, in solution at high temperatures, 193
Helical segments of amylose–iodine complex, DP of, and equilibrium concentration of free iodine, relation between, 5
  DP distribution of, in amylose–iodine complexes, 17
Helical states, right- and left-handed, theory of helix–coil transition including, 931
Helices, nucleic acid, in solutions, topography of, 727
α-Helix, in γ-benzyl L-glutamate–glycine copolymers, stability and extent of, 243
  formation of, by solvent–solvent interaction, 69
  stability of, effect of glycol residues on, 251
  stability of, in poly(γ-benzyl L-glutamate) and related polymers, 797
  transition from random coil to, induced by sodium dodecyl sulfate, 586
Helix–coil transition, 331
  NMR and optical activity observations on, in poly(γ-benzyl L-glutamate) solutions, 375
  of poly(γ-benzyl L-glutamate), enthalpy changes in, 27
  theory of, including right- and left-handed helical states, 931
  theory of, of polypeptide chains, two kinds of nucleation in, 509
Helix–random coil transition, experimental thermodynamics of, 649
Heme undecapeptide, comparative optical rotatory dispersion study of protein with its derivative, 561
Hemoglobin, dielectric properties and oxygenation of, 879
Horse heart ferricytochrome c, conformation of, 561
Hydration, DTA and heats of, of some polypeptides, 327
Hydrogen-bond force constants, 921
Hydrophobic fluorescent group coupled to Taka-amylase A, 627
Infrared absorption of tyrosine side chains in proteins, 525
Infrared studies of deoxyribonucleic acids, their constituents and analogues, 863
Intensity of scattered light, variation in, by solutions of DNA subjected to an electric field, 723
Internal-rotation angles, bond lengths, and bond angles, helical parameters of polymer chains from, 673
Intramolecular conformation changes, cooperative, of linear biopolymers, general theory for, 321
Iodine, free, equilibrium concentration of, and DP of helical segments of amylose–iodine complex, relation between, 5
Ions, effect of, on the dielectric relaxations of DNA, 899
Kerr effect study of aqueous solutions of three globular proteins, 757
Lamm equation, numerical solutions of, 697, 1021
Light scattering, 95
Linear biopolymers, cooperative intramolecular conformation changes of, general theory for, 321
L-Lysine, L-glutamic acid, and L-alanine, water-soluble copolypeptides of, 259

Matrix rank analysis, application of, to optical rotatory dispersion of TMV RNA, 589
Melting transitions in polymer–diluent systems, effect of binding on, 773
Meromyosin, heavy, and myosin, interaction of, with nucleotides, polarimetric study of, 236
Metal ions, interaction of, with polynucleotides and related compounds, 273, 283
N-Methylacetamide, far-infrared spectra of, and hydrogen-bond force constants, 921
Methylmercuric hydroxide, complexing and denaturation of DNA by, 847
Molecular conformation of poly-*S*-carboxymethyl-L-cysteine in aqueous solutions, 359
Molecular weight fractionation and self-suppression of complex coacervation, 37
Molecular weights from equilibrium sedimentation in a density gradient, 681
Multisubunit structures, frictional coefficients of, 135, 149
Myosin and heavy meromyosin, interaction of, with nucleotides, polarimetric study of, 236
Na, Li, et Cs du DNA, cas des sels de, 491
Native collagen aggregate, formation of, volume change on, 431
Native dextrans, origin of branches in, 423
NMR and optical activity observations on the helix–coil transition in poly(γ-benzyl L-glutamate) solutions, 375
NMR spin-echo technique, thermal transition of DNA measured by, 967
Noncomplementarity in base sequences between cohesive ends of coliphage 186 and λ and formation of interlocked rings between the two DNA's, 953
Nucleation, two kinds, in the helix–coil transition theory of polypeptide chains, 509
Nucleic acid helices in solutions, topography of, 727
Nucleic acids, complexes formed by, stability and structure of, 535
Nucleosides and polynucleotides, reaction of silver(I) with, 283
Nucleotides, interaction of myosin and heavy meromyosin with, polarimetric study of, 236
Numerical solutions of the Lamm equation, 1021
Oligomers, single-strand, anti-cooperative interactions in, of deoxyriboadenylic acid, 403
Optical absorption and protein conformation, 788
Optical activity, induced, of various aminoacridines bound to DNA, 871
and NMR observations on the helix–coil transition in poly(γ-benzyl L-glutamate) solutions, 375
and structure of DNA–aminoacridine complex, 79
Optical characteristics of DNA–Cu^{2+} complex, influence of reductants upon, 615
Optical properties of 64 trinucleoside diphosphates, 821
Optical rotatory dispersion study, comparative, of the protein with its derivative heme undecapeptide, 561
of *E. coli* ribosomes and their constituents, 1
of TMV RNA, application of matrix rank analysis to, 589
Oriented amylose fibers, x-ray diffraction of, 457, 837
Origin of branches in native dextrans, 423
Oxygenation and dielectric properties of hemoglobin, 879
PBG–DCA–EDC system, influence of polymer concentration and solvent composition in, 649
Polarimetric study of the interaction of myosin and heavy meromyosin with nucleotides, 236
Polarisation de fluorescence des polypeptides portant un groupe terminal fluorescent, 185
Polarographic investigation of binding of Cu^{++} and Cd^{++} by DNA, 161
Poly-L-acetoxyproline, circular dichroism spectrum of, 915
Poly-α-amino acids, branched, structure of, in dimethylformamide, 95, 105
helical, stability of, in solution at high temperatures, 193
Poly-α-(1 → 6)-anhydro-D-glucopyranose, dextran model, chemical synthesis of, 515

Poly(A + U) and poly(I + C), unwinding and rewinding of, by copper(II) ions, 273
Poly(γ-benzyl L-glutamate), enthalpy changes in helix–coil transition of, 27
and related polymers, stability of α-helix in, 797
Poly(γ-benzyl L-glutamate) solutions, helix–coil transition in, NMR and optical activity observations on, 375
Poly-*O*-carbobenzoxy L-tyrosine et de copolymères de *O*-carbobenzoyl L-tyrosine et de glutamate de benzyle ou d'asparate de benzyle, 337
Poly-*S*-carboxymethyl-L-cysteine, molecular conformation of, in aqueous solutions, 359
Polyelectrolytes rigides en solution, 491
Poly(glutamic acid), viscoelastic relaxations in solutions of, and gelation at ultrasonic frequencies, 887
Polyglycine, DTA of, 1029
Poly(I + C) and poly(A + U), unwinding and rewinding of, by copper(II) ions, 273
Poly-*N*-methyl-L-alanine, conformational analysis of, 815
conformational energies of, 809
Polynucleotides, extrinsic Cotton effects of proflavine bound to, 383
interaction of, with aromatic hydrocarbons, 477
and nucleosides, reaction of silver(I) with, 283
and related compounds, interaction of metal ions with, 273, 283
zinc(II) degradation of, effect of silver(I) on, 283
Polynucleotide transitions, electrostatic effects of, 975, 993
Polyoma virus DNA, sedimentation coefficient of, 1009
Polypeptide chains, helix–coil transition theory of, two kinds of nucleation in, 509
Polypeptides, 259
conformational aspects of, 809
β-form of, rotatory dispersion of, 465
hydration of, DTA and heats of, 327
portant un groupe terminal fluorescent, polarisation de fluorescence, 185
statistical mechanical studies of, 931
synthetic, β structure of, 785
Polypeptide structure by fluorescence techniques, 297
Poly(uridylic acid), spectrophotometric titration studies on, 551
Proflavine, extrinsic Cotton effects of, bound to polynucleotides, 383
Protein conformation and optical absorption, 788
Protein C-phycocyanin in a density gradient, equilibrium sedimentation of, 791
Protein interactions, extension of the continuous variation method to, 473
Proteins, comparative optical rotatory dispersion study of, with its derivative heme undecapeptide, 561
derivatives of, 577, 583
globular, Kerr effect study of aqueous solutions of, 757
infrared absorption of tyrosine side chains in, 525
and salt solutions, interactions between, 439
and viruses, 149
Random coil, transition from, to α-helix induced by sodium dodecyl sulfate, 586
rA–rU, rI–rC, acid rA, double-stranded, and triple-stranded rA–rU_2 and rA–rI_2 helices, 727
Rayons X, diffusion centrale de, 491
Reductants, influence of, upon optical characteristics of the DNA–Cu^{2+} complex, 615
Rewinding and unwinding of poly(A + U) and poly(I + C) by copper(II) ions, 273
Ribosomes, *E. coli*, and their constituents, optical rotatory dispersion of, 1
Rotatory dispersion, of the β-form of polypeptides, 465
optical, of *E. coli* ribosomes and their constituents, 1
Rotor slowing experiments, 1021
Salts, enrichment of, in collagen during denaturation, 439
Salt solutions and proteins, interactions between, 439
Scattered light, variation of intensity in, by solutions of DNA subjected to an electric field, 723
Secondary structure of DNA rings, effect of superhelical structure on, 691
Sedimentation, equilibrium, in a density gradient, molecular weights from, 681

equilibrium, of interacting protein C-phycocyanin in a density gradient, 791
viscosity, and diffusion, 105
Sedimentation coefficient of polyoma virus DNA, 1009
Self-suppression and molecular weight fractionation of complex coacervation, 37
Sels de Li, Na et Cs du DNA, cas des sels de, 491
Shear-degraded deoxyribonucleic acid, solutions of, dynamic viscoelastic properties of, 123
Side chains, tyrosine, infrared absorption of, in proteins, 525
Silk fibroin solutions, electron microscope examination of fibroin precipitated from, 749
Silver(I), effect of, on zinc(II) degradation of polynucleotides, 283
reaction of, with nucleosides and polynucleotides, 283
Single-strand oligomers, anti-cooperative interactions in, of deoxyriboadenylic acid, 403
Sodium dodecyl sulfate, transition from random coil to α-helix induced by, 586
Solutions, aqueous, molecular configuration of amylose and its compexes in, 5, 17
aqueous, poly-*S*-carboxymethyl-L-cysteine in, molecular conformation of, 359
of three globular proteins, Kerr effect study of, 757
of diethylaminoethyl dextran hydrochloride, counterions in, activity coefficients of, 351
of DNA subjected to an electric field, variation in intensity of scattered light by, 723
poly(γ-benzyl L-glutamate), helix–coil transitions in, NMR and optical activity observations on, 375
of poly(glutamic acid) and gelation at ultrasonic frequencies, viscoelastic relaxations in, 887
salt, and proteins, interactions between, 439
of shear-degraded deoxyribonucleic acid, dynamic viscoelastic properties of, 123
silk fibroin, electron microscope examination of fibroin precipitated from, 749
topography of nucleic acid helices in, 727
Solvent composition and polymer concentration, influence of, in PBG–DCA–EDC system, 649
Solvent–solvent interaction, α-helix formation by, 69
Spectrophotometric titration studies on poly(uridylic acid), 551
Spermine and DNA, interaction of, 227
Stability, and extent of the α-helix in γ-benzyl L-glutamate–glycine copolymers, 243
of helical polyamino acids in solution at high temperatures, 193
of α-helix, effect of glycol residues on, 251
and structure of complexes formed by nucleic acids, 535
Statistical mechanical studies of polypeptides, 931
Strand separation, DNA, in alkali, temperature and viscosity effects on rate of, 715
Substrate–enzyme complex, active, analytical centrifugation of, 203
Superhelical structure, effect of, on the secondary structure of DNA rings, 691
Taka-amylase A, hydrophobic fluorescent group coupled to, 627
Temperature and viscosity effects on rate of DNA strand separation in alkali, 715
Thermal transition of DNA measured by NMR spin-echo technique, 967
Thermodynamics, experimental, of the helix–random coil transition, 649
Titration studies, spectrophotometric, on poly(uridylic acid), 551
TMV RNA, application of matrix rank analysis to optical rotatory dispersion of, 589
Topography of nucleic acid helices in solutions, 727
Transient distributions arising from initially sharp boundaries in the ultracentrifuge, 663
Trinucleoside diphosphates, optical properties of, 821
Tyrosine side chains, infrared absorption of, in proteins, 525

Ultracentrifugation, 847
Ultracentrifuge, transient distributions arising from initially sharp boundaries in, 663
Ultrasonic frequencies, gelation at, 887
Ultraviolet absorption studies on DNA, 876
Unwinding and rewinding of poly(A + U) and poly(I + C) by copper(II) ions, 273
Velocity centrifugation, 697
Viruses and proteins, 149
Viscoelastic properties, dynamic, of solutions of shear-degraded deoxyribonucleic acid, 123
Viscoelastic relaxations in solutions of poly(glutamic acid) and gelation at ultrasonic frequencies, 887
Viscosity, sedimentation, and diffusion, 105
and temperature effects on rate of DNA strand separation in alkali, 715
Volume change on formation of native collagen aggregate, 431
Water-soluble copolypeptides of L-glutamic acid, L-lysine, and L-alanine, 259
Wechselstrompolarographische kriterien der nucleinsäuredenaturierung, 61
X-ray diffraction, of the conformation of macromolecules in solution, 331
of oriented amylose fibers, 457, 837
Zinc(II) degradation of polynucleotides, effect of silver(I) on, 283

Biopolymers

Volume 5 • 1967

EDITOR

Murray Goodman

EDITORIAL BOARD

Elkan Blout
D. F. Bradley
Norman Davidson
Ephraim Katchalski
Arthur Peacocke

ADVISORY BOARD

P. Berg
S. Bresler
M. Calvin
P. Doty
J. R. Fresco
J. Gibbs
E. A. Kabat
J. C. Kendrew
H. G. Khorana
S. J. Leach
S. Lifson
A. M. Liquori
V. Luzzati
F. Lynen
H. Mark
T. Miyazawa
M. Nirenberg
L. Pauling
A. Rich
J. Schellman
H. A. Scheraga
T. Shimanouchi
S. Spiegelman
M. Stacey
I. Tinoco, Jr.
A. Tiselius
J. Vinograd
B. H. Zimm

INTERSCIENCE PUBLISHERS
a division of John Wiley & Sons, Inc.

Copyright © 1967 by John Wiley & Sons, Inc.

Statement of ownership, management, and circulation (Act of October 23, 1962: Section 4369, Title 39, United States Code)

1. Date of filing: September 22, 1967

2. Title of Publication: Biopolymers

3. Frequency of issue: 10 issues per year

4. Location of known office of publication: 20th and Northampton Streets, Easton, Pennsylvania 18042

5. Location of headquarters of general business offices of publisher: 605 Third Avenue, New York, New York 10016

6. The names and addresses of publisher, editor, and managing editor:
Publishers: Eric S. Proskauer, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016
Editor: Murray Goodman, Polytechnic Institute of Brooklyn, 333 Jay Street, Brooklyn, New York 11201
Managing Editor: None

7. Owner: John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016
Stockholders owning or holding 1 per cent or more of total amount of John Wiley & Sons, Inc., stock as of August 29, 1967:

Edward P. Hamilton, as Trustee under will of Elizabeth Hamilton, % Gifford, Woody, Carter and Hayes, 1 Wall St., New York, N. Y. 10005; W. Bradford Wiley and Edward P. Hamilton, as Trustees for Edward P. Hamilton Foundation, % John Wiley & Son, Inc., 605 Third Avenue, New York, N. Y. 10016; W. Bradford Wiley and Francis Lobdell, Trustees of Elizabeth Wiley Hamilton Trust, % John Wiley & Sons, Inc., 605 Third Avenue, New York, N. Y. 10016; Cynthia W. Darby, Box 651, Bridgehampton, L. I., New York 11932; Cynthia W. Darby and Julia Wiley Gilbert, as Trustees under the will of Kate R. Q. Wiley, % Gifford, Woody, Carter and Hayes, 1 Wall Street, New York, N. Y. 10005; Julia Wiley Gilbert, Box 1191, Carmel, California; Edward P. Hamilton, Katonah, New York; Edward P. Hamilton and Cynthia W. Darby, as Trustees under will of William O. Wiley, % Gifford, Woody, Carter and Hayes, 1 Wall Street, New York, N. Y. 10005; S. M. Kolthoff, University of Minnesota, School of Chemistry, Minneapolis, Minnesota; Willy Levinger, 336 Central Park West, New York, N. Y.; Mrs. R. R. Pennywitt, 49 Bristol Place, Bay Head, New Jersey; Maurits Dekker, 511 West 232nd Street, Bronx, New York; Rozetta S. Dekker, 511 West 232nd Street, Bronx, New York; Eric S. Proskauer and Charles H. Lieb as Trustees u/a dated 11/27/62 made by Jenny R. Proskauer, 220 Central Park South, New York, N. Y.; C. R. Runyon, Jr., 130 East End Avenue, New York, N. Y.; Francis Lobdell and William J. Seawright, as Trustees for William Bradford Wiley, 2nd, Peter Booth Wiley, Deborah Elizabeth Wiley; Adele E. Windheim, 8 Dundee Road, Larchmont, New York; Reing and Company, P. O. Box 491, Church Street Station, New York, N. Y. 10015; Shaw and Company, P. O. Box 491, Church Street Station, New York, N. Y. 10015.

8. Known bondholders, mortgagees, and other security holders owning or holding 1 per cent or more of total amount of bonds, mortgages, or other securities: None

9. Paragraphs 7 and 8 include, in cases where the stockholder or security holder appears upon the books of the company as trustee or in any other fiduciary relation, the name of the person or corporation for whom such trustee is acting, also the statements in the two paragraphs show the affiants full knowledge and belief as to the circumstances and conditions under which stockholders and security holders who do not appear upon the books of the company as trustees, hold stock and securities in a capacity other than that of a bona fide owner. Names and addresses of individuals who are stockholders of a corporation which itself is a stockholder or holder of bonds, mortgages or other securities of the publishing corporation have been included in paragraphs 7 and 8 when the interests of such individuals are equivalent to 1 per cent or more of the total amount of the stock or securities of the publishing corporation.

10. This item must be complete for all publications except those which do not carry advertising other than the publishers own and which are named in Sections 132.231, 132.232, and 132.233, Postal Manual (Sections 4355a, 4355b, and 4356 of Title 39, United States Code)

I certify that the statements made by me above are correct and complete.

Eric S. Proskauer
Publisher

CONTENTS

Vol. 5, Issue Nos. 1–10

Biopolymers

ISSUE NO. 1, JANUARY

P. K. SARKAR, J. T. YANG, and PAUL DOTY: Optical Rotatory Dispersion of *E. Coli* Ribosomes and Their Constituents 1

J. SZEJTLI, M. RICHTER, and S. AUGUSTAT: Molecular Configuration of Amylose and Its Complexes in Aqueous Solutions. Part II. Relation between the DP of Helical Segments of the Amylose–Iodine Complex and the Equilibrium Concentration of Free Iodine 5

J. SZEJTLI, S. AUGUSTAT, and M. RICHTER: Molecular Configuration of Amylose and Its Complexes in Aqueous Solutions. Part III. Investigation of the DP Distribution of Helical Segments in Amylose–Iodine Complexes 17

F. E. KARASZ and J. M. O'REILLY: Enthalpy Changes in the Helix–Coil Transition of Poly(γ-benzyl L-Glutamate) 27

ARTHUR VEIS, EDWARD BODOR, and SHIRLEY MUSSELL: Molecular Weight Fractionation and the Self-Suppression of Complex Coacervation 37

H. BERG, H. BÄR, und F. A. GOLLMICK: Wechselstrompolarographische Kriterien der Nucleinsäuredenaturierung 61

NOAH LOTAN, MORDECHAI BIXON, and ARIEH BERGER: α-Helix Formation by Solvent–Solvent Interaction 69

(Miss) B. J. GARDNER and S. F. MASON: Structure and Optical Activity of the DNA–Aminoacridine Complex 79

N. ELIEZER and A. SILBERBERG: Structure of Branched Poly-α-amino Acids in Dimethylformamide. I. Light Scattering 99

N. ELIEZER and A. SILBERBERG: Structure of Branched Poly-α-amino Acids in Dimethylformamide. II. Viscosity, Sedimentation, and Diffusion 109

H. H. MEYER, WILLIAM F. PFEIFFER, and JOHN D. FERRY: Dynamic Viscoelastic Properties of Solutions of Shear-Degraded Deoxyribonucleic Acid 127

Biopolymer News 135

Information for Contributors 137

Issue No. 2, February

V. Bloomfield, W. O. Dalton, and K. E. Van Holde: Frictional Coefficients of Multisubunit Structures. I. Theory 135
V. Bloomfield, K. E. Van Holde, and W. O. Dalton: Frictional Coefficients of Multisubunit Structures. II. Application to Proteins and Viruses 149
D. Bach and I. R. Miller: Polarographic Investigation of Binding of Cu^{++} and Cd^{++} by DNA 161
D. K. Chattoraj, P. Chowrashi, and K. Chakravarti: Electrophoresis of Adsorbed DNA 173
M. Frey et G. Weill: Polarisation de Fluorescence des Polypeptides Portant un Groupe terminal fluorescent 185
James S. Franzen, John B. Harry, and Caroline Bobik: Stability of Helical Polyamino Acids in Solution at High Temperatures ... 193
R. Cohen, B. Giraud, and A. Messiah: Theory and Practice of the Analytical Centrifugation of an Active Substrate–Enzyme Complex 203
Shalom Z. Hirschman, Marc Leng, and Gary Felsenfeld: Interaction of Spermine and DNA 227

Communications to the Editors

Gunther L. Eichhorn: Note on the Paper of H. Venner and Ch. Zimmer 235
W. D. McCubbin, C. M. Kay, and K. Oikawa: Polarimetric Study of the Interactions of Myosin and Heavy Meromyosin with Nucleotides 236

Issue No. 3, March

H. Block and Josephine A. Kay: Extent and Stability of the α-Helix in γ-Benzyl L-Glutamate–Glycine Copolymers 243
R. D. B. Fraser, B. S. Harrap, T. P. Macrae, F. H. C. Stewart, and E. Suzuki: Effect of Glycyl Residues on the Stability of the α-Helix 251
K. Morita, E. R. Simons, and E. R. Blout: Polypeptides. LIII. Water-Soluble Copolypeptides of L-Glutamic Acid, L-Lysine, and L-Alanine 259
Gunther L. Eichhorn and Edward Tarien: Interaction of Metal Ions with Polynucleotides and Related Compounds. IX. Unwinding and Rewinding of Poly(A + U) and Poly(I + C) by Copper(II) Ions 273
Gunther L. Eichhorn, James J. Butzow, Patricia Clark, and Edward Tarien: Interaction of Metal Ions with Polynucleotides and Related Compounds. X. Studies on the Reaction of Silver(I) with the Nucleosides and Polynucleotides, and the

Effect of Silver(I) on the Zinc(II) Degradation of Polynucleotides 283
THOMAS J. GILL III, E. M. MCLAUGHLIN, and GILBERT S. OMENN: Studies of Polypeptide Structure by Fluorescence Techniques. Interaction Between Dye and Macromolecule in Fluorescent Conjugates 297
TEIJI TSURUTA, SHOHEI INOUE, and KAZUO MATSUURA: Asymmetric Selection in the Copolymerization of *N*-Carboxy-L- and D-Alanine Anhydride 313

Communications to the Editors

GERHARD SCHWARZ: A Basic Approach to a General Theory for Cooperative Intramolecular Conformation Changes of Linear Biopolymers 321
F. A. BOVEY and F. P. HOOD: Circular Dichroism Spectrum of Poly-L-proline 325
D. PUETT: DTA and Heats of Hydration of Some Polypeptides ... 327

ISSUE NO. 4, APRIL/MAY

GEORGE W. BRADY and R. SALOVEY: X-Ray Diffraction Studies of the Conformation of Macromolecules in Solution. III. The Helix–Coil Transition 331
JEAN-PIERRE VOLLMER et GÉRARD SPACH: Synthèse et Structure de la Poly-*O*-carbobenzoxy L-Tyrosine et de Copolymères de *O*-Carbobenzoxy L-Tyrosine et de Glutamate de Benzyle ou d'Aspartate de Benzyle 337
F. GUBENŠEK and S. LAPANJE: Activity Coefficients of Counterions in Solutions of Diethylaminoethyl Dextran Hydrochloride 351
SHOICHI IKEDA: Molecular Conformation of Poly-*S*-carboxymethyl-L-cysteine in Aqueous Solutions 359
KANG-JEN LIU, J. S. LIGNOWSKI, and ROBERT ULLMAN: NMR and Optical Activity Observations on the Helix–Coil Transition in Poly(γ-benzyl L-Glutamate) Solutions 375
A. BLAKE and A. R. PEACOCKE: Extrinsic Cotton Effects of Proflavine Bound to Polynucleotides 383

Errata

HIROKO TAKESADA, HIDEO YAMAZAKI, and AKIYOSHI WADA: Nature of Cu(II)–Poly(glutamic Acid) Complex in Aqueous Solution (article in *Biopolymers*, **4**, 713–721, 1966) 399
E. G. BENDIT: Infrared Absorption Spectrum of Keratin. I. Spectra of α-, β-, and Supercontracted Keratin (article in *Biopolymers*, **4**, 539–559, 1966) 399

P. J. Oriel and John A. Schellman: Studies of the Birefringence and Birefringence Dispersion of Polypeptides and Proteins (article in *Biopolymers*, **4**, 469–494, 1966) 399

Issue No. 5, June

John N. Vournakis, Douglas Poland, and Harold A. Scheraga: Anti-Cooperative Interactions in Single-Strand Oligomers of Deoxyriboadenylic Acid 403
K. H. Ebert and M. Brosche: Origin of Branches in Native Dextrans 423
James M. Cassel and Richard G. Christensen: Volume Change on Formation of Native Collagen Aggregate 431
A. Ciferri, R. Gamon, and D. Puett: Interaction Between Proteins and Salt Solutions. IV. Enrichment of Salts in Collagen During Denaturation 439
A. D. French and H. F. Zobel: X-Ray Diffraction of Oriented Amylose Fibers. I. Amylose Dimethyl Sulfoxide Complex 457
M. V. Volkenstein and V. A. Zubkov: Rotatory Dispersion of the β-Form of Polypeptides 465

Communication to the Editors

J. Garnier: Extension of the Continuous Variation Method to Protein Interactions: α_{s1}- and β-Caseins Associations with κ-Casein 473

Issue No. 6, July

I. Isenberg, S. L. Baird, Jr., and R. Bersohn: Interaction of Polynucleotides with Aromatic Hydrocarbons 477
C. Botré, S. Borghi, M. Marchetti, and M. Baumann: Influence of Counterions Radius on the Polymerization of Actin 483
Vittorio Luzzati, F. Masson, A. Mathis, et P. Saludjian: Étude, par Diffusion centrale des Rayons X, des Polyelectrolytes rigides en Solution. Cas des Sels de Li, Na et Cs du DNA 491
M. Bixon and S. Lifson: On the Two Kinds of Nucleation in the Helix–Coil Transition Theory of Polypeptide Chains 509
Erwin R. Ruckel and Conrad Schuerch: Chemical Synthesis of a Dextral Model, Poly-α-(1 → 6)-anhydro-D-glucopyranose 515
E. G. Bendit: Infrared Absorption of Tyrosine Side Chains in Proteins 525
D. J. Blears and S. S. Danyluk: Structure and Stability of Complexes Formed by Nucleic Acids. I. Binding of Acridine to DNA 535
H. Simpkins and E. G. Richards: Spectrophotometric Titration Studies on Poly(uridylic Acid) 551

P. Saludjian and E. Shechter: Conformation of Horse Heart Ferricytochrome c. III. Comparative Optical Rotatory Dispersion Study of the Protein with Its Derivative Heme Undecapeptide 561

R. P. Patel, D. V. Lopiekes, S. P. Brown, and S. Price: Derivatives of Proteins. II. Coupling of α-Chymotrypsin to Carboxyl-Containing Polymers by Use of *N*-Ethyl-5-phenylisoxazolium-3′-sulfonate 577

Communications to the Editors

R. P. Patel and S. Price: Derivatives of Proteins. I. Polymerization of α-Chymotrypsin by Use of *N*-Ethyl-5-phenylisoxazolium-3′-sulfonate 583

Martin J. Grourke and Julian H. Gibbs: Transition from Random Coil to α-Helix Induced by Sodium Dodecyl Sulfate. 586

Issue No. 7, August

D. W. McMullen, S. R. Jaskunas, and Ignacio Tinoco, Jr.: Application of Matrix Rank Analysis to the Optical Rotatory Dispersion of TMV RNA 589

L. E. Minchenkova and V. I. Ivanov: Influence of Reductants upon Optical Characteristics of the DNA–Cu^{2+} Complex 615

Toshio Takagi, Yoshiko Nakanishi, Nobuo Okabe, and Toshizo Isemura: Hydrophobic Fluorescent Group Coupled to Taka-amylase A. Change of Its Environment Accompanying Splitting of Disulfide Bonds 627

Kazutomo Imahori and Hiroshi Inouye: Conformations of Copoly(γ-benzyl L-glutamate-*O*-benzyl-L-serine) 639

Theodor Ackermann and Eberhard Neumann: Experimental Thermodynamics of the Helix–Random Coil Transition. I. Influence of Polymer Concentration and Solvent Composition in the PBG–DCA–EDC System 649

P. A. Charlwood: Transient Distributions Arising from Initially Sharp Boundaries in the Ultracentrifuge 663

Hiromu Sugeta and Tatsuo Miyazawa: General Method for Calculating Helical Parameters of Polymer Chains from Bond Lengths, Bond Angles, and Internal-Rotation Angles 673

Communication to the Editors

Henryk Eisenberg: Molecular Weights from Equilibrium Sedimentation in a Density Gradient 681

Issue No. 8, September

R. G. Christensen and J. M. Cassel: Volume Changes Accompanying Collagen Denaturation 685

DANIEL GLAUBIGER and JOHN E. HEARST: Effect of Superhelical Structure on the Secondary Structure of DNA Rings 691
MENACHEM DISHON, GEORGE H. WEISS, and DAVID A. YPHANTIS: Numerical Solutions of the Lamm Equation. III. Velocity Centrifugation 697
PETER F. DAVISON: Viscosity and Temperature Effects on the Rate of DNA Strand Separation in Alkali 715
A. SCHELUDKO and S. STOYLOV: Variation in the Intensity of Scattered Light by Solutions of DNA Subjected to an Electric Field 723
EDMOND J. GABBAY: Topography of Nucleic Acid Helices in Solutions. II. Structure of the Double-Stranded rA–rU, rI–rC, Acid rA, and the Triple-Stranded rA–rU_2 and rA–rI_2 Helices ... 727
F. HAPPEY, A. J. HYDE, and B. MANOGUE: Electron Microscope Examination of Fibroin Precipitated from Silk Fibroin Solutions 749
C. L. RIDDIFORD and B. R. JENNINGS: Kerr Effect Study of the Aqueous Solutions of Three Globular Proteins 757
T. A. OROFINO, A. CIFERRI, and J. J. HERMANS: Effect of Binding on Melting Transitions in Polymer–Diluent Systems 773

Communications to the Editors

T. M. BIRSHTEIN and O. B. PTITSYN: Dipole–Dipole Interaction and the β Structure of Synthetic Polypeptides 785
E. SCHECHTER and P. SALUDJIAN: Conformation of Ferricytochrome c. IV. Relationship Between Optical Absorption and Protein Conformation 788
P. D. JEFFREY: Equilibrium Sedimentation of the Interacting Protein C-Phycocyanin in a Density Gradient 791

ISSUE No. 9, OCTOBER/NOVEMBER

R. D. B. FRASER, B. S. HARRAP, R. LEDGER, T. P. MACRAE, F. H. C. STEWART, and E. SUZUKI: Stability of the α-Helix in Poly(γ-benzyl L-Glutamate) and Related Polymers 797
J. E. MARK and MURRAY GOODMAN: Conformational Aspects of Polypeptides. XXIV. Conformational Energies of Poly-*N*-methyl-L-alanine Chains 809
A. M. LIQUORI and P. DESANTIS: Conformational Analysis of Poly-*N*-methyl-L-alanine 815
CHARLES R. CANTOR and IGNACIO TINOCO, JR.: Calculated Optical Properties of 64 Trinucleoside Diphosphates 821
H. F. ZOBEL, A. D. FRENCH, and M. E. HINKLE: X-Ray Diffraction of Oriented Amylose Fibers. II. Structure of V Amyloses 837
DIETER W. GRUENWEDEL and NORMAN DAVIDSON: Complexing and Denaturation of DNA by Methylmercuric Hydroxide. II. Ultracentrifugation Studies 847

H. Fritzsche: Infrared Studies of Deoxyribonucleic Acids, Their Constituents and Analogues. II. Deoxyribonucleic Acids with Different Base Composition 863

Communications to the Editors

A. Blake and A. R. Peacocke: Induced Optical Activity of Various Aminoacridines Bound to DNA 871
S. Basu: Ultraviolet Absorption Studies on DNA 876

Issue No. 10, December

Maxime Hanss and Ramaprasad Banerjee: Dielectric Properties and Oxygenation of Hemoglobin 879
Yasaku Wada, Hiroyuki Sasabe, and Makoto Tomono: Viscoelastic Relaxations in Solutions of Poly(glutamic Acid) and Gelatin at Ultrasonic Frequencies 887
Shiro Takashima: Effect of Ions on the Dielectric Relaxation of DNA 899
F. A. Bovey and F. P. Hood: The Circular Dichroism Spectrum of Poly-L-Acetoxyproline 915
Koichi Itoh and Takehiko Shimanouchi: Far-Infrared Spectra of *N*-Methylacetamide and Related Compounds and Hydrogen-Bond Force Constants 921
Roy A. Scott III: Statistical Mechanical Studies of Polypeptides. I. Theory of the Helix–Coil Transition Including Right- and Left-Handed Helical States 931
James C. Wang and Harley Schwartz: Noncomplementarity in Base Sequences Between the Cohesive Ends of Coliphages 186 and λ and the Formation of Interlocked Rings Between the Two DNA's 953
Barbara Lubas, Tadeusz Wilczok, and Olgierd K.-Daszkiewicz: Thermal Transition of DNA Measured by NMR Spin-Echo Technique 967
M. Thomas Record, Jr.: Electrostatic Effects on Polynucleotide Transitions. I. Behavior at Neutral pH 975
M. Thomas Record, Jr.: Electrostatic Effects on Polynucleotide Transitions. II. Behavior of Titrated Systems 993
Horace B. Gray, Jr.: Sedimentation Coefficient of Polyoma Virus DNA 1009
Irwin H. Billich, Menachem Dishon, George H. Weiss, and David A. Yphantis: Numerical Solutions of the Lamm Equation. IV. Rotor Slowing Experiments 1021

Communication to the Editors

F. Happey and B. M. Watson: DTA of Polyglycine 1029

Erratum

J. GARNIER: Extension of the Continuous Variation Method to Protein Interactions: α_{s1}- and β-Caseins Associations with κ-Casein (article in *Biopolymers*, **5**, 473–475, 1967) 1033

Author Index 1035

Subject Index 1041